Drum Coating Application System

Spray Control Benefits in Coating Application (1)

- vitamins
- Even coverage
- Minimal misting

Control Panel (2)

- •

Delivery Module (3)

- •
- lines (optional)


Pump Version (4)

Air Control Package (ACP) (5)

AccuCoat[®] HD15 In-Line Heater (6)

- Reduces viscosity

Drum Coating Application System SCS Series



©Spraying Systems Co.

Enhanced product by adding oils, flavors, and

Maintain high productivity through automation

AutoJet[®] Model 1750+ Control automatic spray nozzles Set operating parameters Multiple timing modes for; fixed, variable, and repeat spray patterns Mounted on fluid delivery cart (optional)

PulsaJet[®] automatic electric spray nozzle provides accurate, rapid and repeatable dose sizes Sanitary manifold with enclosed fluid and electrical

Durable, air operated diaphragm pump that requires liquid to be supplied by means of a tote or a tank • Liquid regulator precisely controls pressure and reducing pulsations from the pump

Precision control of liquid pressure Regulated air supply to pump

Temperature control (up to 130°F) Maintain consistent performance seasonally Improved spray performance

Spray Nozzles and Accessories P.O. Box 7900 - Wheaton, IL 60187-7901					
REVISION NO.	1	Data Sheet No.			
Revision Date:		Drum Coating - SCS			
4/2	27/22 SHEET:	1 OF 1	DWG SIZE:	В	